



FlexPoint Integration API ***for US***

Sample Code

Version: v5.05.006+

Programmers Guide

Document Version: 1.0

March 16, 2015

Document Owners:

Richard Staley

Product Manager

Pivotal Product Management Press

Copyright 2015 Pivotal Payments. All rights reserved.

Information in this document is subject to change without notice. The software described in this document is furnished under a license agreement or nondisclosure agreement. The software may be used or copied only in accordance with the terms of those agreements. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or any means electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Pivotal Payments.

Pivotal Payments
1100 Rene-Levesque Blvd., West, Suite 9000
Montreal QC H3B 4N4
866-687-3722
www.pivotalpayments.com



Revision Information

Doc Ver	S/W Ver	Name	Title	Date of Update	Summary of Changes
1.0	v5.05.006	Richard Staley	Product Manager	March 16, 2015	- Document Creation

Table of Contents

Revision Information	iv
Table of Contents	v
Java Sample Code	1
Java Code Sample - Sale Transaction	1
JavaQSR files	1
JavaPAT files	2

Java Sample Code

Java Code Sample - Sale Transaction



Download the JavaSamples.zip file located on the Developer Portal.



Figure 1-1 Java Sample Zip

Extract out the files from the "JavaSamples.zip".



Figure 1-2 Java Samples File Structure

Open a command prompt window and change directory to either the JavaQSR or JavaPAT folders.




Figure 1-3 JavaQSR Files




Figure 1-4 JavaPAT Files

JavaQSR files

Type "Run" to launch the sample code.

The JavaQSR sample code assumes the following:

- FlexPoint terminal is on IP 192.168.0.70
- The FlexPoint terminal is configured for send on port 5130 and receive on port 5131.



Note: If the IP and send/receive ports aren't correct then you will have to change the java code and recompile, or modify your terminal settings.

JavaPAT files

Type "Run" to launch the sample code.

The JavaPAT sample code assumes the following:

- FlexPoint terminal is on IP 192.168.0.70
- The FlexPoint terminal is configured to receive on port 5131.



Note: If the IP and receive ports aren't correct then you will have to change the java code and recompile, or modify your terminal settings.